

## IN THE CLAIMS

Please amend the claims in accordance with the following rewritten claims in clean form. Applicant includes herewith an Attachment for Claim Amendments showing a marked up version of each amended claim.

*Handwritten: Draft B1*

1. (Amended) A display device comprising:

a liquid crystal panel including a liquid crystal material;

a light reflector provided behind the liquid crystal panel; and

a light diffuser arranged between the liquid crystal material and the light reflector, the light diffuser having forward scattering characteristics, a space between the light diffuser and the light reflector being a certain distance;

the light diffuser and the distance satisfying the following relationship:

$$H(\%) > -200d + 140(\text{mm})$$

wherein d is the distance between the light diffuser and the light reflector, and H is a haze value of the light diffuser.

*Handwritten: [scribble]*

*Handwritten: a1*

2. (Amended) A display device according to Claim 1, further comprising a color filter proximate the liquid crystal panel, the color filter being equipped with a plurality of colors.

3. (Amended) A display device according to Claim 2, wherein the plurality of colors include red, green and blue colors.

4. (Amended) A display device according to Claim 1, further comprising:  
a polarizer provided between the liquid crystal panel and the light reflector,  
wherein the polarizer substantially transmits a light of a first polarization direction  
and substantially absorbs a light of a second polarization direction,  
wherein the first and the second polarization directions are different from each  
other.

6. (Amended) A display device according to Claim 1, further comprising an  
illuminating device having a light guiding member and a light source capable of  
introducing light to the light guiding member,  
the illuminating device being arranged between the light diffuser and the light  
reflector.

7. (Amended) A display device according to Claim 1, further comprising:  
a polarizer provided between the liquid crystal panel and the reflector, the  
polarizer separating light depending on a polarization direction of the light; and  
a reflection polarizing plate provided between the polarizer and the reflector, the  
reflection polarizing plate separating light depending on a polarization direction of the  
light;  
a transmission axis of the polarizer coinciding with a transmission axis of the  
reflection polarizing plate.

8. (Amended) An electronic apparatus equipped with a display device according to claim 9.

Please cancel Claim 5 without prejudice or disclaimer of the subject matter contained therein.

---

Please add the following new claims.

---

9. (NEW) A display device according to Claim 1, further comprising a polarizer on a front side of the liquid crystal panel.

10. (NEW) A display device according to Claim 1, further comprising a reflection polarizing plate between the liquid crystal panel and the light reflector, wherein the reflection polarizing plate substantially transmits a light of a first polarization direction and substantially reflects a light of a second polarization direction, the first and second polarization directions being different from one another.

11. (NEW) A display device according to Claim 9, wherein the display device further comprises at least one of a reflective type and a transfective type display device.

---

12. (NEW) A display device comprising:  
a first means, including a plurality of electrodes arranged in matrix, for changing a polarization direction of incident light depending on a voltage applied thereto;

a second means for scattering the light such that light that passes through the electrodes is mixed; and

a third means for reflecting the mixed light toward the first means.

13. (NEW) A display device according to Claim 12, further comprising:

a fourth means, corresponding to each of the electrodes, for coloring the incident light into plurality of colors;

the plurality of colors being mixed by the second means and turned into white light;

the white light being reflected by the third means, and again colored by the fourth means.

14. (NEW) A display device according to Claim 12, further comprising:

a fourth means, provided between the first means and the third means, for allowing a light of a first polarization direction to be transmitted and absorbing or reflecting a light of a second polarization direction, the first and the second polarization directions being different from one another.

15. (NEW) A display device according to Claim 14, wherein the fourth means includes at least two elements, the elements including:

a first element adapted to absorb light of the second polarization direction; and

a second element, positioned between the first element and the third means.